# The Cycle of Addiction and Challenges of the Opioid Crisis

One perspective from the Emergency Department

Dr. Sean Wilde, MD CCFP-EM

# Questions to Address:


 What do we mean when we say "Addiction is a brain disease?"

What are the implications?






# It's not just local... Philadelphia



### **Emergency department visits**

**Figure 13:** Rate of emergency department (ED) visits related to opioid use and other substances of misuse, by quarter and Zone, per 100,000 person years. January 1, 2015 to March 31, 2018.



South Zone: 54% higher than provincial average

\*\* For all Substance Abuse visits \*\*



#### **Globally (2016)**

- 3 million deaths per year
- Implicated in > 200 different health conditions



- Leading cause of heart and lung disease
- Various cancers



- Cannabis hyperemesis syndrome
- Intoxication and smoke inhalation risks
- Exacerbates some mental illness (psychosis)



- Common chronic dependence
- New street drugs = high risk of death



- Cocaine, crack, amphetamines
- Agitation, irrationality, psychosis, dangerous behavior
- "Physiologic Overdrive" can be fatal

#### FEATURE

### Winnipeg: A city wide awake on crystal meth











Social worker says crystal meth 'is absolutely rampant' in Winnipeg


Jill Coubrough · CBC News · Posted: Oct 22, 2017 7:00 PM CT | Last Updated: October 23, 2017



### The "thinking" rational brain

Judgement

Neurotransmitters




### The instinctive "reptilian" brain

- Survival needs
- Seek pleasure, avoid pain


# Dopamine:

### **Neurotransmitters**




Vital: No dopamine = no motivation to act

# The Healthy Reward Pathway




# The Reward Pathway and Drugs




### Results of Excessive Dopamine

- Body makes fewer dopamine receptors
  - Tolerance = more drug for same effect
  - "Natural highs" no longer work
  - No drug = dopamine deficiency

- Prefrontal Cortex
  - Dopamine receptor loss leads to weaker inhibitory feedback











# Opioids



### **Endorphins**

- + Pain relief, lower anxiety, human bonding and love
- +++ Sedation, decreased respiratory drive
- --- Hypersensitivity to pain, impaired social bonding








MEDICAL TREATMENTS

### Massachusetts Sues OxyContin Maker Purdue Pharma, Saying It 'Peddled Falsehoods'

COLIN DWYER COLON DWYER COLON

A pharmacist holds a bottle of OxyContin earlier this year at Daniel's Pharmacy in San Francisco. Jeff Chiu/AP The 2017 Canadian Guideline for Opioids for Chronic Non-Cancer Pain






# Substance Addiction:

The continued use of a substance despite obvious and repeated harmful effects on your life

## Drug Learning in the Reptilian Brain


#### Result:

- "Drug high"
- Brain associates drug use with survival
- Becomes dominant response to stress






# The Drug Modified Reward Pathway



# Trauma Predisposes to Addiction:

- Hardest using street drug populations almost always survivors of early life trauma
- Trauma can cause some of the same brain changes as drug abuse.
- Abused brain is primed for addiction
- One mechanism of inter-generational Trauma
- Untreated mental health disorders have similar effect.



# The way out

- Paradoxically, way out of addiction starts with choice by the user to change
- Need to make same choice many times as will fail often
- Retrain use of the Pre-frontal cortex
- Brains can be re-trained
  - Neuroplasticity
- Requires significant external support, and addressing inciting and concomitant trauma and mental health.

### Successful Addiction Treatment Includes:

- Recognizing the biological loss of control of the users actions
- Extending the opportunity for recovery entry with harm reduction
- Medically supervised therapy to reduce cravings
- Removal from the drug using environment
- Simultaneous treatment of past abuse and mental illness
- Emotionally supportive human connections
- Meaningful small victories to train the brain to assert cognitive control over impulses
- Acceptance of the relapse and recovery cycle

### **Primary Sources**

- Tomkins, DM. Sellers, E. Addiction and the brain: the role of neurotransmitters in the cause and treatment of drug dependence. CMAJ. 2001. 164:817
  - https://www.ncbi.nlm.nih.gov/pmc/articles/PMC80880/
- Bailey, Chris. Neuronal pathways Involved in Reward and Addiction. pA2 online (British Pharmacological Society), volume 3 issue 3.
  - http://www.pa2online.org/articles/article.jsp?volume=3 &issue=2&article=43
- Volkow et al. Addiction: Decreased reward sensitivity and increased expectation sensitivity conspire to overwhelm the brain's control circuit. Bioessays. 2010. 32:748
  - https://www.ncbi.nlm.nih.gov/pmc/articles/PMC294824
     5/

## Suggested Reading

- Resetting the Addictive Brain: Discover magazine, May 2015.
  - http://discovermagazine.com/2015/may/17-resettingthe-addictive-brain
- Maté, Gabor. In the Realm of Hungry Ghosts: Close Encounters with Addiction. 2009. Vintage Canada.
  - https://www.amazon.ca/Realm-Hungry-Ghosts-Encounters-Addiction/dp/0676977413/ref=sr 1 1/137-7481152-1060144?ie=UTF8&qid=1538877491&sr=8-1&keywords=in+realm+of+hungry+ghosts\